

Victoria Government Gazette

No. S 38 Friday 3 February 2023 By Authority of Victorian Government Printer

Public Health and Wellbeing Act 2008

SECTION 151(3) AND (4) AND TABLE 1 OF THE SCHEDULE TO THE ACT

Notice of Approval of Blood Donation Statement in Electronic or Paper Format

I, Euan Wallace, Secretary to the Department of Health, approve the following form of blood donation statement in either electronic or paper for the purposes of section 151(3) and (4) of the **Public Health and Wellbeing Act 2008**, and item 1, column 2, paragraph (a), and item 2, column 2, paragraphs (b)(i) and (c)(i) of Table 1, of the Schedule to the **Public Health and Wellbeing Act 2008**:

This approved form of blood donation statement in either electronic or paper format replaces any previously approved form of blood donation statement.

This approval takes effect on 12 February 2023.

PROFESSOR EUAN M. WALLACE AM Secretary Department of Health

SPECIAL

ustralian Red Cross Lifeblood

Donor questionnaire

Thank you for your generosity

Important information for a safe, comfortable donation.

Blood donation is very safe. Occasionally reactions can happen and our team is well trained to manage them.

This questionnaire helps keep you and patients safe - all of these questions are important and you need to answer each one honestly. Providing false or misleading information may lead to fines and imprisonment. Some people MUST NOT give blood as it may not be safe for them, or for the patient who receives their donation. You can change your mind about donating at any time just let us know.

Fainting

Less than 2 in 100 donors experience some faintness (dizzy, light-headed, hot, severat or unvolted after donating environments (unzy), inginiteded, ito, severat) or unvolted under generating – most only feel mild faintness or dizziness, which generally passes quickly. In about 1 in 1,000 donations, a donor may faint (lose consciousness) after donating, including after leaving the donor centre. Generally, reactions are more common if you are younger, female or new to donation

Tips to reduce the risk of fainting

In the 24 hours before you donate, males should drink 10 glasses of fluid and females should drink 8 glasses of fluid.

- In the 3 hours before:
- Drink 750 mL of fluids
- Have something salty to eat Avoid strenuous exercise.

During your donation, squeeze your inner thigh and abdominal muscles intermittently to maintain blood pressure

Afterwards, spend at least 15 to 20 minutes in the refreshment area For 8 hours after:

- Drink plenty of fluids
- Avoid alcoholic and hot drinks
- Avoid standing for long periods Avoid getting overheated.

For at least 12 hours, avoid strenuous or hazardous activities, including jobs where public safety may be affected.

You should check any employment or safety requirements you have. If unsure, please discuss at your interview.

If you feel faint:

- Lie or sit down with your head between your knees Repeatedly squeeze and release your inner thigh and abdominal muscles
- Ask for help If you're driving, pull over, park, lay your seat back and call for assistance. Do not continue driving.

Bruising

Small bruises are very common and generally resolve in a few days. Larger bruises, which may be uncomfortable, occur once in every 300 donations. T reduce the risk:

Keep the bandage on for 2 hours Minimise lifting or carrying with your donation arm for 24 hours If you develop a bruise, an ice pack and/or pain reliever may help. If you bleed, apply pressure and raise your arm

Reactions requiring outside medical care

About 1 in 1,500 donors will experience a side effect that requires outside medical care. This includes events related to skin disinfection and needle placement (e.g. allergic reaction, local inflammation, infection, piercing an artery, clot or nerve injury).

Iron levels

Blood donation can cause low iron (iron deficiency), particularly in: Stock No. 15340947

FRM-00164 | Version: 7 | Date Effective 12 February 2023 | Page 1 of 6

- frequent whole blood donors
- women of child-bearing age

Low iron may cause tiredness, difficulty concentrating and low haemoglobin (anaemia).

We check haemoglobin before each donation, but not iron. Haemoglobin can be normal in early iron deficiency.

- We recommend: A healthy, iron-rich diet
- Women 18-45 take iron after each whole blood donation
- Women trying to become pregnant build healthy iron levels for the increased requirements of pregnancy.

Speak with your doctor before donating if you're concerned about iron or how often to don

For more information on the risks of donating blood or the importance of maintaining iron levels, ask one of our team or visit lifeblood.com.au

Testing your donation

To ensure patient safety, we test all successful donations for hepatitis B, hepatitis C and HIV (AIDS virus). We test some donation types for HTLV and syphilis. If your results are significantly abnormal, we'll notify you using the contact details you provided

If you learn of any reason why your blood shouldn't be used, please call us on 13 14 95. In particular, notify us immediately if you:

- Develop a cough, cold, diarrhoea or other infection within a week of •
- donating, or Are diagnosed or hospitalised with a serious infection within 2 months

If you feel unwell or are concerned after your donation, speak to a team member, call us on $13\ 14\ 95$ or see your doctor.

A New and returned donors

Please complete this section only if:

- you are a new donor, or
- you have not donated within the last 2 years.
- Otherwise, proceed to section B.

Please complete using blue or black ink (not pencil) by placing a cross or tick in the relevant box.

A1	Have you ever volunteered to donate blood or plasma before? A1a. If yes - where? When?	Yes 🗌 No 🗌	
A2	Have you ever been advised not to give blood?	Yes 🗌 No 🗌	
A3	Have you ever had:Anaemia or any blood disorder?A serious illness, operation or been admitted to hospital?	Yes 🗌 No 🗌	
A4	Have you ever had: • Stroke or epilepsy? • Heart or blood pressure problems, or chest pain? • Rheumatic fever or a heart murmur?	Yes 🗌 No 🗌	
A5	Have you ever had: • Bowel disease? • Lung problems including tuberculosis (TB)?	Yes 🗌 No 🗌	
A6	Have you ever had: • Diabetes? • A thyroid disorder? • An autoimmune disease e.g. rheumatoid arthritis or lupus?	Yes 🗌 No 🗌	
A7	Have you ever:Had cancer of any kind including melanoma?Received a transplant or graft (organ, bone marrow, cornea, dura mater, bone, etc.)?	Yes 🗌 No 🗌	
A8	Have you ever had: • Jaundice (yellow eyes/skin) or hepatitis? • Malaria, Q fever or Chagas' disease?	Yes 🗌 No 🗌	
A9	Have you ever had treatment with the medication TIGASON (Etretinate) or NEOTIGASON (Acitretin)?	Yes 🗌 No 🗌	
A10	Have you had a neurosurgical procedure involving the head, brain or spinal cord between 1972 and 1989?	Yes 🗌 No 🗌	
A11	Have you received injections of human growth hormone for short stature or human pituitary hormone for infertility prior to 1986?	Yes 🗌 No 🗌	
A12	What was your country of birth?		
A13	Have you ever been outside Australia?	Yes 🗌 No 🗌	
If yo	ur answer to question 13 is 'No' please go straight to Section B on the next page.		
A14	Have you spent a continuous period of 6 months or more outside Australia at any stage of your life?	Yes 🗌 No 🗌	
A15	Have you been outside Australia in the last 3 years?	Yes 🗌 No 🗌	
	A15a. If your answer is "Yes" - Have you been in Papua New Guinea (PNG) in the last 3 years?	Yes 🗌 No 🗌	
A16	Have you ever received a transfusion or injection of blood or blood products outside Australia?	Yes 🗌 No 🗌	

B Medical questionnaire

All donors please complete this section

Please complete using blue or black ink (not pencil) by placing a cross or tick in the relevant box.

B1	Are you feeling healthy and well?	Yes No
B2	Did you have any side effects after leaving the donor centre after your last donation? This is my first donation	s 🗌 No 🗍
	B2a. If your answer is "Yes" - did you report this to Australian Red Cross Lifeblood?	Yes 🗌 No 🗌
В3	Are you allergic to the antiseptic chlorhexidine?	Yes 🗌 No 🗌
B4	What is your weight?kg Note: If you're unsure, please weigh yourself on the scales provided.	
В5	In the next 3 days, do you intend to participate in any activity which would place you or others at risk of injury if you were to become unwell after donating, such as driving public transport, operating heavy machinery, underwater diving, piloting a plane or other activities?	Yes 🗌 No 🗌
B6	In the last week, have you: • Had dental work, cleaning, fillings or extractions? • Taken any aspirin, pain killers or anti-inflammatory preparations? • Had any cuts, abrasions, sores or rashes?	Yes 🗌 No 🗌
B7	In the last week, have you had a gastric upset, diarrhoea, abdominal pain or vomiting?	Yes 🗌 No 🗌
B8	Since your last donation, have you – or if you're a new donor, have you in the last 12 months: Been unwell? Seen a doctor or any health care practitioner? Undergone any tests/investigations? 	Yes 🗌 No 🗌
В9	 Had an operation/surgical procedure? Since your last donation, have you – or if you're a new donor, have you in the last 12 months – 	Yes No
D 40	had chest pain/angina or an irregular heartbeat?	
B10	 Since your last donation, have you – or if you're a new donor, have you in the last 12 months: Had shingles or chickenpox? Had any immunisations/vaccinations (including as part of a clinical trial) other than influenza vaccine in Australia (e.g. fluvax)? 	Yes 🗌 No 🗌
B11	Since your last donation, have you – or if you're a new donor, have you in the last 12 months – had a sexually transmitted infection e.g. syphilis, gonorrhoea or genital herpes?	Yes 🗌 No 🗌
B12	Since your last donation, have you – or if you're a new donor, have you in the last 12 months – taken or used any medication, including: • Regular medication? • Clinical trial medication? • Acne or other skin condition medications?	Yes 🗌 No 🗌
B13	Since your last donation, have you – or if you're a new donor, have you in the last 12 months – taken or used: PrEP (pre-exposure prophylaxis) to prevent HIV infection? Injectable medications?	Yes 🗋 No 🗍
B14	Do you know anyone in your family who had or has: Creutzfeldt-Jakob disease (CJD)? Gerstmann-Strauseler-Scheinker syndrome (GSS)? Fatal familial insomnia (FFI)?	Yes 🗋 No 🗍
B15	Since your last donation, have you – or if you're a new donor, have you in the last 12 I am male	Yes 🗌 No 🗌
If you have completed Section A today, please go to Section C on the next page.		
B16	Have you been in Papua New Guinea in the last 3 years?	Yes No
B17	Since your last donation, have you been outside Australia?	Yes 🔲 No 🗌
B18	Since your last donation, have you received a transfusion or injection of blood or blood products?	Yes No

C Donor declaration

All donors please complete this section

Please complete using blue or black ink (not pencil) by placing a cross or tick in the relevant box.

Cl	To the best of your knowledge, have you EVER thought you could be infected with HIV or have AIDS?	Yes 🗌 No 🗌	
C2	To the best of your knowledge, have you EVER had a test which showed you had hepatitis B, hepatitis C, HIV or HTLV?	Yes No	
C3	To the best of your knowledge, in the last 5 years have you "used drugs" by injection or been injected with drugs not prescribed by a doctor or dentist?	Yes No	
C4	In the last 12 months have you had an illness with both a rash AND swollen glands, with or without a fever?	Yes 🗌 No 🗌	
C5	In the last 12 months have you had sexual activity with a new partner who currently lives or has previously lived overseas?	Yes 🗌 No 🗌	
C6	In the last 12 months have you been imprisoned in a prison or been held in a lock-up or detention centre?	Yes 🗌 No 🗌	
C7	In the last 12 months have you had (yellow) jaundice or hepatitis or been in contact with someone who has?	Yes 🗌 No 🗌	
C8	In the last 4 months have you been injured with a used needle (needlestick)?	Yes 🗌 No 🗌	
C9	In the last 4 months have you had a blood/body fluid splash to eyes, mouth, nose or to broken skin?	Yes 🗌 No 🗌	
C10	In the last 4 months have you had a tattoo, body and/or ear piercing or acupuncture?	Yes 🗌 No 🗌	
C11	In the last 4 months have you had a blood transfusion?	Yes 🗌 No 🗌	
C12	In the last 3 months have you engaged in sexual activity with someone who: You think could be infected with HIV or have AIDS? Had a test which showed they had hepatitis B, hepatitis C, HIV or HTLV? Ever "used drugs" by injection or been injected, even once, with drugs not prescribed by a doctor or dentist? Had an illness with both a rash AND swollen glands with or without a fever?	Yes 🗋 No 🗋	
C13	In the last 3 months have you had sex (with or without a condom) with a man who you think may have had oral or anal sex with another man?	Yes 🗌 No 🗌	
C14	In the last 3 months have you had male to male sex (that is, oral or anal sex) with or I am female \Box Ye without a condom?	es 🗌 No 🗌	
C15	In the last 3 months have you been a male or female sex worker (i.e. received payment for sex in money, gifts or drugs)?	Yes 🗌 No 🗌	
C16	In the last 3 months have you engaged in sexual activity with a male or female sex worker?	Yes 🗌 No 🗌	

Donor declaration (continued)

Please print:

Surname/family name

Given name

Date of birth D D / M M / Y Y Y

How your information will be used

Your information will be:

- used to:
 - assess your eligibility to donate blood, _ ensure the safety of both donors and recipients,
 - contact you for future donations, and
 - assist with research including improving the safety of transfusion and donation;
- treated as confidential and held in compliance with the Privacy Act 1988 (Cth), State/Territory health records legislation and Lifeblood's Privacy Policy. Our Privacy Policy explains how we collect, use, store and disclose your personal information; how you may access or seek correction of your personal information; how to make a complaint about a breach of your privacy, and how we will handle that complaint.

Our Privacy Policy is available at donateblood.com.au

How your blood will be used

Thank you for your special gift of blood.

Here's how your blood donation will be used:

- Most of the time, we'll use your donation to help people who are unwell. This may include the supply of plasma from your donation to CSL Behring who is contracted by the Australian government to manufacture plasma-derived medicines for Australians
- Your donation may be used by Lifeblood or other approved organisations for the purposes of research, teaching and checking quality. We may supply some red cells from your donation for the production of red cell testing kits which are used by hospitals, pathology services and blood banks in Australia to assist in the correct matching of blood for transfusions
- A part of your donation will also be stored in our Blood Šample Archive for possible future testing and research; samples that are no longer required will be destroyed
- Approval from an appropriate Human Research Ethics Committee is required before any research is undertaken on any part of your donation

Occasionally we may ask you to undergo follow-up tests which you have the option to decline.

Declaration

- I agree for my donation to be used for the purposes set out above;
- I have been provided with, read and understood "Important information for a safe, comfortable donation" and had the opportunity to ask auestions:
- I accept the risks associated with blood donation and agree to follow the instructions of Lifeblood staff to minimise these risks;
- I agree to notify Lifeblood if, after my donation, I become aware of any reason why my donation should not be used;
- I declare that I have understood the information on this form and answered the questions honestly and to the best of my knowledge; and I understand there are penalties, including fines and imprisonment, for providing false and misleading information.

This declaration is to be signed in the presence of a Lifeblood staff member.

Donor signature	Date D D / M M / Y Y Y Y		
Staff witness (please print)			
Surname/family name	Given name		
Signature	Date / /		
Donation number	_		
Office use only NOTES – please make all annotations clear. Please initial and date.			

This page was left blank intentionally

ive

The *Victoria Government Gazette* is published by IVE Group Limited with the authority of the Government Printer for the State of Victoria

© State of Victoria 2023

This publication is copyright. No part may be reproduced by any process except in accordance with the provisions of the Copyright Act.

Address all enquiries to the Government Printer for the State of Victoria Level 2, 1 Macarthur Street Melbourne 3002 Victoria Australia

How To Order

Retail & Mail Sales	Victoria Government Gazette Ground Floor, Building 8, 658 Church Street, Richmond 3121
Telephone	(03) 8523 4601
email	gazette@ivegroup.com.au

Price Code A